

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1231	DHCP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:07
S2	372	DHCP and (host near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:12
S3	140	(DHCP and (host near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S4	50	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S5	4	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and (renew near5 Lease)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 14:53
S6	2	issu\$4 same renew\$4 same (host near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:00
S7	37	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S8	38	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:02
S9	955	DHCP and ((host or IP) near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:24
S10	240	(DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S11	50	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25

S12	37	(((((DHCP and (host near3 (address or id or identifier)))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S13	59	((DHCP and ((host or IP) near3 (address or id or identifier)))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S14	40	(((((DHCP and ((host or IP) near3 (address or id or identifier)))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S15	62	DHCP near3 proxy	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:07
S16	2	(DHCP near3 proxy) and ((((((DHCP and ((host or IP) near3 (address or id or identifier)))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:12
S17	2	(proxy near3 (address or id or identifier)) with (relay near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:13
S18	510	DHCP and ((host or MAC) near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:24
S19	167	(DHCP and ((host or MAC) near3 (address or id or identifier)))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S20	52	((DHCP and ((host or MAC) near3 (address or id or identifier)))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S21	38	(((((DHCP and ((host or MAC) near3 (address or id or identifier)))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25

S22	37	(((((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:29
S23	31	(((((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4 ) and ((list or table or database) with (host near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:27
S24	37	(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:29
S25	1	(((((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:30
S26	1	(((((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4 ) and ((list or table or database) with (host near3 (address or id or identifier))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:30
S27	1	(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 16:08

S28	1	(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))) and ((issu\$4 or allocat\$5 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 16:08
S29	63	(address or ID or identifier) with (allocation) with pool	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:54
S30	209	(address or ID or identifier) with (allocat\$4) with pool	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:54
S31	126	((address or ID or identifier) with (allocat\$4) with pool) and (host or IP)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:55
S32	97	((address or ID or identifier) with (allocat\$4) with pool) and ((address or ID or identifier) with (host or IP))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S33	0	((address or ID or identifier) with (allocat\$4) with pool) and ((address or ID or identifier) with (host or IP)) and ((address or ID or identifier) with (issu\$4 or assign\$4 or allocating) with (renew\$4 or refresh\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S34	1459	((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S35	255	((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4)) and ((address or ID or identifier) with (host or IP))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:58
S36	241	((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4)) and ((address or ID or identifier) with (host or MAC))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 14:06
S37	143	((Media near Access near Control) or (MAC)) near4 (address or ID or identifier) with (Authoriz\$4 or authenticat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 14:08

S38	7	(((((Media near Access near Control) or (MAC)) near4 (address or ID or identifier)) with (Authoriz\$4 or authenticat\$4)) and (proxy near5 (address or ID or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 11:43
S39	21	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:20
S40	21	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) with giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:50
S41	21	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) near3:giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:55
S42	0	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) near3 giaddr and (option near3 "82")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:55
S43	1	((DHCP or (dynamic near host near configuration near protocol)) and (option near3 "82"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:15
S44	1	((DHCP or (dynamic near host near configuration near protocol)) and (relay near agent near information near option))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:04
S45	0	((DHCP or (dynamic near host near configuration near protocol)) and (relay near agent near option))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:06
S46	0	((DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near2 host near3 (address or ID or identifier or identification or identity)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:07
S47	0	((DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 host near3 (address or ID or identifier or identification or identity)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:08

S48	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:08
S49	1	"6189102".pn. and giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 13:10
S50	2	"6189102".pn. and (internal near2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S51	1	"6189102".pn. and (issu\$4 or allocat\$4 or renew\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 14:05
S52	2	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:22
S53	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:30
S54	178	option near3 "82"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:31
S55	0	"6189102".pn. and spoof\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S56	0	(option near3 "82") and spoof\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S57	2	"6189102".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:30
S58	1	"6189102".pn. and (offer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:30
S59	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:13



S60	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:13
S61	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:14
S62	1	(issue near3 address) and (renew near3 address) and (MAC near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:17
S63	37	(issue\$4 near3 address) and (renew\$4 near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:19
S64	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S65	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S66	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S67	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S68	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S69	669	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:35
S70	165	S69 and authent\$6 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:36

S71	23	S70 and (authent\$6 near4 (device or element or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:47
S72	2	"6189102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:44
S73	0	S72 and account	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:44
S74	669	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:48
S75	284	S74 and (user near3 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:48
S76	143	S75 and ((user near3 account) with (access or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:50
S77	39	S75 and ((user near3 account) with (access or service))	USPAT	OR	ON	2005/01/12 16:50
S78	742	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:00
S79	316	S78 and (user near3 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:00
S80	41	S79 and ((user near3 account) with (access or service))	USPAT	OR	ON	2005/06/07 14:00
S81	160	S79 and ((user near3 account) with (access or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:00



S82	742	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01
S83	189	S82 and authent\$6 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01
S84	25	S83 and (authent\$6 near4 (device or element or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01
S85	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01
S86	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01
S87	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:01